

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	709/230.ccls. and list with session\$1 with (URL\$1 or address\$3 or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:01
S2	12	709/230.ccls. and (list or table \$1) with (session\$1 with (MAC or address\$3 or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:24
S3	0	709/230.ccls. and (destination \$1 or endpoint\$1) with (tcp near1 session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:25
S4	0	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp near1 session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:25
S5	12	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:22
S6	0	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp with session\$1) with (list or table) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:22
S7	0	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp with session\$1) same (list or table) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:27
S8	12	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 17:40
S9	12	709/230.ccls. and ((destination \$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:29

S10	0	709/230.ccls. and ((determin\$4 near1 (destination\$1 or endpoint\$1)) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:29
S11	0	709/230.ccls. and ((select\$4 near1 (destination\$1 or endpoint\$1)) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:29
S12	12	709/230.ccls. and ((destination\$1 or endpoint\$1) with(tcp with session\$1) with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:50
S13	0	709/230.ccls. and (determin\$3 near1 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:51
S14	0	709/230.ccls. and (determin\$3 near3 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:51
S15	0	709/230.ccls. and (determin\$3 with (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:52
S16	14	(determin\$3 with (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:52
S17	5	(determin\$3 near2 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 10:59
S18	4	(redirect with session\$1 with (MAC or (IP near1 address\$3))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:03
S19	46	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 11:05
S20	3	709/238.ccls. and (source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 12:50

S21	3	709/230.ccls. and (source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:08
S22	4	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1 near1 ("id" or identification\$1)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 13:22
S23	2	("0681052").PN.	USPAT; USOCR	OR	OFF	2005/09/07 13:22
S24	1	("6810521").PN.	USPAT; USOCR	OR	OFF	2005/09/07 13:23
S37	52	"709"/\$.ccls. and "Real Time Control Protocol" and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:43
S38	52	"709"/\$.ccls. and "Real Time Control Protocol" and packet\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:43
S39	47	"709"/\$.ccls. and "Real Time Control Protocol" and packet\$1 and session\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:44
S40	7	"709"/\$.ccls. and "Real Time Control Protocol" same packet \$1 same session\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 13:44
S41	3	"709"/\$.ccls. and "Real Time Control Protocol" same packet \$1 with session\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:11
S42	1	("6798,751").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 14:12
S43	1	("6778534").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 14:12
S44	1	("6601101").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 14:26
S45	21	"709"/\$.ccls. and (flag with sessions) and @ad<="20011022"	USPAT	OR	OFF	2005/09/08 14:27
S46	23	"709"/\$.ccls. and (flag with sessions) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:27

S47	23	"709"/\$.ccls. and (flag with sessions and perform\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 17:57
S48	49	"709"/\$.ccls. and (flag with status\$3 with perform\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:29
S49	7	"709"/\$.ccls. and (flag with status\$3 near2 perform\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:29
S50	0	"709"/\$.ccls. and (flag with status\$3 near2 perform\$4) same session and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 14:29
S51	2	"709"/\$.ccls. and (flag with status\$3 with perform\$4) same session and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/08 15:06
S52	1	("6798751").PN.	USPAT; USOCR	OR	OFF	2005/09/08 15:06
S53	0	(network and perform\$3 and monitor\$).ti. and session with identi\$5 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:22
S54	0	(network and perform\$3 and monitor\$).ti. and session\$1 with identi\$5 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:23
S55	3	(network and perform\$3 and monitor\$).ti. and sessions and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:34
S56	154	(network and perform\$3 and monitor\$).ab. and sessions and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:34
S57	21	(network and perform\$3 and monitor\$).ab. and sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:59

S58	1	(network and perform\$3 and monitor\$).ab. and (sessions with identifi\$4 with table\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:38
S59	0	(network and perform\$3 and monitor\$) same (sessions with identifi\$4 with table\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:38
S60	760	(network and perform\$3 and monitor\$) and sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 17:59
S61	11	(network and perform\$3 and monitor\$) same sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:08
S62	67	709/223.ccls. and sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:09
S63	73	709/224.ccls. and sessions near1 identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:11
S64	16	709/224.ccls. and perform\$4 with sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:12
S65	3	709/224.ccls. and monitor\$3 with perform\$4 with sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:39
S66	9	monitor\$3 with perform\$4 with sessions with identifi\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:35
S67	4	monitor\$3 with perform\$4 with sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:53
S68	14	monitor\$3 with perform\$4 same sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 18:58

S69	4	diagnostic same sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:00
S70	0	diagnostic with perform\$3 same sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:00
S71	84	diagnostic with perform\$3 and sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:00
S72	0	diagnostic with network near2 perform\$3 and sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:01
S73	17	monitor\$3 with network near2 perform\$3 and sessions with identifi\$4 and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:23
S74	1	("5101402").PN.	USPAT; USOCR	OR	OFF	2006/03/30 19:26
S75	11	(network near1 monitor\$1) and sessions with table and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 19:28
S76	48	(network near1 monitor\$1) and sessions with table and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:28
S77	10	(network near1 monitor\$1) and sessions with table with updat \$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:48
S78	994	(session near2 monitor\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:49
S79	38	(network near2 session near2 monitor\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:49

S80	20	(network near2 session near2 monitor\$3) and updat\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 19:49
S81	2	("20030120789").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/31 12:47
S82	2094	709/230.ccls. RTCP and (session \$1 with monitor\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 17:41
S83	2059	709/230.ccls. RTCP and (session \$1 adj2 monitor\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:41
S84	2057	709/230.ccls. RTCP and (session \$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:42
S85	2052	709/230.ccls. RTCP same (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:42
S86	2050	709/230.ccls. RTCP same (session\$1 adj2 monitor\$4) and (session with identif\$4) and (updat\$4 with record\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S87	0	709/230.ccls. and RTCP same (session\$1 adj2 monitor\$4) and (session with identif\$4) and (updat\$4 with record\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S88	1	709/230.ccls. and RTCP same (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S89	1	709/230.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:43
S90	5	"709"/\$.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:52

S91	2	"709"/\$.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4 with addresses) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:48
S92	7	"709"/\$.ccls. and RTCP and (session\$1 with monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:55
S93	19	RTCP and (session\$1 with monitor\$4) and (session with identif\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:55
S94	5	RTCP and (session\$1 with monitor\$4) and (session with identif\$4 with addresses) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:58
S95	0	RTCP and (session with identif \$4 with addresses with start\$3 with end\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:59
S96	0	RTCP and (session with identif \$4 with addresses with send\$3 with recei\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:59
S97	0	RTCP and (session with identif \$4 with addresses with source \$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 17:59
S98	49	(session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:00
S99	0	monitor\$3 same (session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:00
S100	29	monitor\$3 and (session with identif\$4 with addresses with source\$3 with destinat\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/04 18:00
S101	2	("6232874").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/05 12:31

S102	2	("5491749").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 09:48
S103	2	("6601170").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:42
S104	2	("6851052").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:42
S105	2	("6356595").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 13:53
S106	2	("5438622").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 14:06
S107	2	("6356595").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/10 14:06
S108	85	"709"/\$.ccls. and ((session near1 identi\$5) with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:24
S109	10	"709"/230.ccls. and ((session near1 identi\$5) with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:25
S110	0	"709"/230.ccls. and ((session near1 identi\$5) with address\$3 with logs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:25
S111	0	"709"/\$.ccls. and ((session near1 identi\$5) with address\$3 with logs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:25
S112	1	"709"/\$.ccls. and ((session near1 identi\$5) with address\$3 same logs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:30

S113	7	"709"/\$.ccls. and ((session near1 identi\$5) with network near1 address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:35
S114	5	"709"/\$.ccls. and ((session near1 identifier\$1) with network near1 address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 17:45
S115	2	("20030033428").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:44
S116	6	((session near1 identifier\$1) with network near1 address\$3) and monitor\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:21
S117	2	("20040073667").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:00
S118	1	("20050240763").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:00
S119	2	("20030154403").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:03
S120	2	("5875296").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 18:03
S121	75	(mask\$3 "and" "or" "Xor") near5 (filter\$3 Sort\$3 classify\$3 categori\$5) with (credential sentitive (social adj3 security) SSN password name) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:38
S122	2	("20020091843").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:22
S123	76	(session and monitor\$3).ti. and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:23

S124	6	(session and monitor\$3).ti. and (session near3 identif\$5) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:24
S125	0	(session and monitor\$3).ti. and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:24
S126	6	(session and monitor\$3).ab. and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:31
S127	4	(session adj1 monitor\$3) and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 16:32
S128	13	(session adj2 monitor\$3) and ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 17:14
S129	16	header with ((session near3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 17:15
S130	14	header with ((session adj3 identif\$5) with address\$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 17:15
S131	5	header with ((session adj3 identif\$5) with address\$1) and monitor\$3 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 18:15
S132	1	((session adj3 identif\$5) with address\$1) with performance\$1 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/12 18:17
S133	4	((session adj3 identif\$5)) with (performance\$1 with information \$1) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:23
S134	139	((session) with (packet with los \$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:23

S135	4760	((session) with (packet wnear3 los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:23
S136	117	((session) with (packet near3 los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:24
S137	117	((session\$1) with (packet near3 los\$4)) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:24
S138	12	((session\$1) with (packet near3 los\$4)).ab. and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:25
S139	537243	((report\$3 log\$1)((session\$1) with (packet near3 los\$4))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 18:25
S140	6	((report\$3 log\$1)with((session \$1) with (packet near3 los\$4))) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 16:56
S141	2	("20020105911").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 16:56
S142	459	"709"/\$.ccls. and (session with fail\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 17:57
S143	30	"709"/\$.ccls. and (session with fail\$3 with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 17:58
S144	0	"709"/\$.ccls. and (session with "no" near1 "exist" with address \$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 17:59
S145	41	"709"/\$.ccls. and (session with "no" with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05

S146	0	"709"/\$.ccls. and (session with "nonexist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:04
S147	0	"709"/\$.ccls. and (session with "non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:04
S148	7389	"709"/\$.ccls. and (session same"non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
S149	0	"709"/\$.ccls. and (session same "non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
S150	0	"709"/230.ccls. and (d"non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
S151	0	"709"/230.ccls. and ("non-exist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
S152	0	"709"/230.ccls. and ("nonexist") and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:05
S153	415	"709"/\$.ccls. and (determin\$3 with "no" with address\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:06
S154	0	"709"/\$.ccls. and (determin\$3 with "no" with address\$3 with session) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:06
S155	126	"709"/\$.ccls. and (determin\$3 with "no" with session) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:07
S156	40	"709"/\$.ccls. and (determin\$3 with fail\$3 with session) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:08

S157	2	"709"/\$.ccls. and (determin\$3 with fail\$3 with session with updat\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:21
S158	2	"709"/\$.ccls. and (determin\$3 with fail\$3 with addresses with updat\$3) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:44
S159	2	("6529475").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/13 18:44
S160	2	("20050102722").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 17:08
S161	0	("RE38660E").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 17:09
S162	2	("6721703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/22 17:09
S163	1	"Novosel." "inv."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 07:57
S164	121	Novosel.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 07:57
S165	1	Novosel.inv. and RE38660	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 07:58
S166	5	"709"/\$.ccls. and (volP same session\$1 same monitor\$4) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 12:58
S167	100	"709"/\$.ccls. and (session\$1 with list\$3 with IDs) and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:10

S168	63	"709"/\$.ccls. and (session\$1 with list\$3 with IDs) and monitor\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:10
S169	9	"709"/\$.ccls. and (session\$1 with list\$3 with IDs) same monitor\$4 and @ad<="20011022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/16 13:10
S170	1	("6418471").PN.	USPAT; USOCR	OR	OFF	2008/07/16 13:30
S172	27	HEPWORTH-NEIL.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 05:46
S173	5	RANKINE-ALASTAIR-J.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 05:52
S174	15	709/230.ccls. and list with session\$1 with (URL\$1 or address\$3 or (IP near1 address\$3)) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 05:58
S175	20	709/230.ccls. and (list or table \$1) with (session\$1 with (MAC or address\$3 or (IP near1 address\$3))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:58
S176	18	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3)) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:58
S177	18	709/230.ccls. and (destination \$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3)) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:58
S178	18	709/230.ccls. and ((destination \$1 or endpoint\$1) same (tcp with session\$1) with (MAC or (IP near1 address\$3))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:59

S179	18	709/230.ccls. and ((destination\$1 or endpoint\$1) with(tcp with session\$1) with (MAC or (IP near1 address\$3))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:59
S180	30	(determin\$3 with (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:59
S181	8	(determin\$3 near2 (destination\$1 or endpoint\$1) with session\$1 with (MAC or (IP near1 address\$3))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:59
S182	7	(redirect with session\$1 with (MAC or (IP near1 address\$3))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 05:59
S183	73	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 05:59
S184	4	709/238.ccls. and (source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:00
S185	3	709/230.ccls. and (source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:00
S186	6	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1 near1 ("id" or identification\$1)) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:00
S187	99	"709"/\$.ccls. and "Real Time Control Protocol" and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:02
S188	84	"709"/\$.ccls. and "Real Time Control Protocol" and packet\$1 and session\$1 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:02

S189	15	"709"/\$.ccls. and "Real Time Control Protocol" same packet \$1 same session\$1 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:02
S190	291	"709"/\$.ccls. and (flag with sessions) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:03
S191	291	"709"/\$.ccls. and (flag with sessions) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:03
S192	15	"709"/\$.ccls. and (flag with status\$3 near2 perform\$4) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:03
S193	0	(network and perform\$3 and monitor\$).ti. and session with identi\$5 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:04
S194	5	(network and perform\$3 and monitor\$).ti. and sessions and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:04
S195	239	(network and perform\$3 and monitor\$).ab. and sessions and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:04
S196	41	(network and perform\$3 and monitor\$).ab. and sessions with identi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:05
S197	41	(network and perform\$3 and monitor\$).ab. and sessions with identi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:05
S198	1	(network and perform\$3 and monitor\$).ab. and (sessions with identi\$4 with table\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:05

S199	5	(network and perform\$3 and monitor\$).ti. and sessions and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:06
S200	22	(network and perform\$3 and monitor\$) same sessions near1 identifi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:06
S201	115	709/223.ccls. and sessions near1 identifi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:06
S202	116	709/224.ccls. and sessions near1 identifi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:06
S203	25	709/224.ccls. and perform\$4 with sessions with identifi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:06
S204	20	monitor\$3 with perform\$4 with sessions with identifi\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:07
S205	9	"709"/\$.ccls. and (session\$1 with list\$3 with IDs) same monitor\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:07
S206	83	"709"/\$.ccls. and (session\$1 with list\$3 with IDs) and monitor \$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:07
S207	125	"709"/\$.ccls. and (session\$1 with list\$3 with IDs) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:07
S208	19	"709"/\$.ccls. and (volP same session\$1 same monitor\$4) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:08
S209	64	"709"/\$.ccls. and (determin\$3 with fail\$3 with session) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:08

S210	64	"709"/\$.ccls. and (determin\$3 with fail\$3 with session) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:08
S211	170	"709"/\$.ccls. and (determin\$3 with "no" with session) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:08
S212	577	"709"/\$.ccls. and (determin\$3 with "no" with address\$3) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:09
S213	32	"709"/\$.ccls. and (session with fail\$3 with address\$3) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:09
S214	10	((report\$3 log\$1)with((session \$1) with (packet near3 los\$4))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:09
S215	70	"709"/\$.ccls. and (session with "no" with address\$3) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:09
S217	6	(source\$1 with associat\$3 with (destination\$1 or endpoint\$1) with session\$1 near1 ("id" or identification\$1)) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:10
S218	0	"709"/\$.ccls. and (session with "non-exist") and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:11
S219	32	"709"/\$.ccls. and (session with fail\$3 with address\$3) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:11
S220	13	header with ((session adj3 identif\$5) with address\$1) and monitor\$3 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:12
S221	10	((report\$3 log\$1)with((session \$1) with (packet near3 los\$4))) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:12

S222	22	header with ((session adj3 identif\$5) with address\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:12
S223	7	(session and monitor\$3).ab. and ((session near3 identif\$5) with address\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:13
S224	24	(session adj2 monitor\$3) and ((session near3 identif\$5) with address\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:13
S225	5	(session adj1 monitor\$3) and ((session near3 identif\$5) with address\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:13
S226	7	(session and monitor\$3).ab. and ((session near3 identif\$5) with address\$1) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:13
S227	5	(session and monitor\$3).ti. and (session near3 identif\$5) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:14
S228	14	"709"/230.ccls. and ((session near1 identi\$5) with address\$3) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/04 06:14
S229	4	"709"/\$.ccls. and RTCP and (session\$1 adj2 monitor\$4) and (session with identif\$4 with addresses) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:14
S230	22	(network and perform\$3 and monitor\$) same sessions near1 identif\$4 and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:15
S231	47	RTCP and (session\$1 with monitor\$4) and (session with identif\$4) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:15
S232	0	RTCP and (session with identif\$4 with addresses with send\$3 with recei\$4) and (@ad<="20011022" @rlad<="20011022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 06:15

9/ 4/ 2008 7:42:05 AM

C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\10028874.wsp